

Notice of Allowability

Application No.

10/668,806

Examiner

Betsey M Hoey

Applicant(s)

FALCON, MEL D.

Art Unit

1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to application filed 22 September 2003.
2. ☒ The allowed claim(s) is/are 1-20.
3. ☒ The drawings filed on 9/22/03 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. The application has been amended as follows:

In claims 2 and 13, the phrase "thereof respectively" has been changed to

-- said primary filter and said secondary filter --

3. Claims 1-20 are allowed.

The following is an examiner's statement of reasons for allowance:

Claims 1-12 are allowed because the prior art of record fails to teach, disclose, or fairly suggest a coal bed methane wastewater treatment system comprising an ozone diffusion tank, a prefilter tank fluidly connected to the diffusion tank, a primary filter fluidly connected to the prefilter tank, and a secondary filter fluidly connected to the primary filter such that it receives reject water from the primary filter. It is submitted that ozone diffusion tanks fluidly connected to filters is known in the art of water treatment, but the instant claims are not anticipated or obvious over the prior art of record because the prior art of record does not suggest the specific combination and arrangement of elements recited in instant claim 1.

Claim 13 is allowed for the reasons stated above. Claim 13 includes all of the limitations recited in instant claim 1.


Claims 14-20 are allowed because the prior art of record fails to teach, disclose, or fairly suggest a method of treating coal bed methane wastewater comprising

Art Unit: 1724

collecting coal bed methane wastewater (CBMW) and subjecting the CBMW to the steps of ozone injection, prefiltration, primary filtration, secondary filtration of primary filtration reject water, and transferring permeate water to a natural waterway.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Betsey Hoey whose telephone number is **(571) 272-1158**. The examiner can normally be reached on Mondays, Tuesdays, and Thursdays. The examiner's supervisor, Mr. Duane Smith, may be reached at (571) 272-1166. Any inquiry of general nature may be directed to the Group receptionist at (571) 272-0987. The centralized fax number for the Group is (703) 872-9306. The examiner Rightfax number is (571) 273-1158.


BETSEY MORRISON HOEY
PRIMARY EXAMINER

March 3, 2005